Application No.: 09/931,309

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS:

1. (previously presented): A silver halide photographic material which comprises a silver halide emulsion containing silver halide grains that are sensitized with at least one sensitizing methine dye represented by the following formula (I):

$$\begin{array}{c}
Y \\
N \\
-(L^1 = L^2)_p
\end{array}$$

$$\begin{array}{c}
(I) \\
R
\end{array}$$

wherein Y represents a furan ring, and Y may further be condensed with other 5- or 6-membered carbocyclic ring or heterocyclic ring, or may have a substituent; the bond between two carbon atoms in which Y is condensed may be a single bond or a double bond; Z represents an oxazole ring, a thiazole ring, an imidazole ring, a 2-pyridine ring or a 4-pyridine ring, and Z may further be condensed with other 5- or 6-membered carbocyclic ring or heterocyclic ring; R represents a substituted or unsubstituted alkyl group, aryl group, or heterocyclic group; D represents a group necessary to form a sensitizing methine dye; L<sup>1</sup> and L<sup>2</sup> each represents a methine group; p represents 0 or 1; M represents a counter ion; and m represents a number of 0 or higher necessary to neutralize the charge in the molecule.

Claim 2. (currently amended): A silver halide photographic material which comprises a silver halide emulsion containing silver halide grains that are sensitized with at least one sensitizing methine dye represented by the following formula (I):


Application No.: 09/931,309

$$\begin{array}{c}
Y & \downarrow \\
N & \downarrow L^1 = L^2)_{p} & = D \\
R & (M)_{m}
\end{array}$$

wherein Y represents an atomic group necessary to form a 5- or 6-membered unsaturated heterocyclic ring, and Y may further be condensed with other 5- or 6-membered carbocyclic ring or heterocyclic ring, or may have a substituent; the bond between two carbon atoms in which Y is condensed may be a single bond or a double bond; Z represents an atomic group necessary to form a 5- or 6-membered nitrogen-containing heterocyclic ring, and Z may further be condensed with other 5- or 6-membered carbocyclic ring or heterocyclic ring; R represents a substituted or unsubstituted alkyl group, aryl group, or heterocyclic group; D represents a group necessary to form a sensitizing methine dye; L¹ and L² each represents a methine group; p represents 0 or 1; M represents a counter ion; and m represents a number of 0 or higher necessary to neutralize the charge in the molecule; wherein the condensed ring containing Y and Z in the sensitizing methine dye represented by formula (I) is selected from the following Y-1 to Y-26, provided that Y-1 to Y-3 and Y-6 to Y-26 may further be condensed with other 5- or 6-membered carbocylic or heterocyclic ring, or may have a substituent:

AMENDMENT UNDER 37 C.F.R. §1.312

Application No.: 09/931,309



Attorney Docket No.: Q65828

in each structural formula, \* represents a position to link to a methine chain.

Claim 3. (canceled).

Application No.: 09/931,309

Claim 4. (previously presented): The silver halide photographic material as claimed in claim 1, wherein the methine dye represented by formula (I) is represented by the following formula (XX):

wherein Y<sup>51</sup> represents a furan ring which may be condensed with other 5- or 6-membered carbocyclic or heterocyclic ring or may have a substituent, and two carbon atoms to which Y<sup>51</sup> is condensed may be bonded by a single bond or a double bond; X<sup>51</sup> represents an oxygen atom, a sulfur atom, or a nitrogen atom and X<sup>52</sup> each represents an oxygen atom, a sulfur atom, a selenium atom, a tellurium atom or a nitrogen atom; Y<sup>52</sup> represents an atomic group necessary to form a benzene ring or a 5- or 6-membered unsaturated heterocyclic ring, which may further be condensed with other 5- or 6-membered carbocyclic or heterocyclic ring or may have a substituent, and two carbon atoms to which Y<sup>52</sup> is condensed may be bonded by a single bond or a double bond; R<sup>51</sup> and R<sup>52</sup> each represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; L<sup>51</sup>, L<sup>52</sup> and L<sup>53</sup> each represents a methine group; n<sup>51</sup> represents 0, 1, 2, 3 or 4; M<sup>51</sup> represents a counter ion; and m<sup>51</sup> represents a number of 0 or higher necessary to neutralize the charge in the molecule.

Application No.: 09/931,309

Claim 5. (canceled).

Claim 6. (previously presented): A silver halide photographic material which comprises at least one methine dye represented by the following formula (XXXI) or (XXXII):

$$V^{61} = V^{61} = V^{62} = V^{62} = V^{62}$$

$$V^{61} = V^{62} = V^{62} = V^{62}$$

$$V^{62} = V^{62} =$$

$$V_{e1} = V_{e1} = V_{e2} = V_{e3} = V_{e2} = V_{e3} = V$$

wherein L<sup>61</sup>, L<sup>62</sup> and L<sup>63</sup> each represents a methine group; V<sup>61</sup> represents a halogen atom; X<sup>61</sup> represents an oxygen atom, a sulfur atom, or a nitrogen atom; X<sup>62</sup> represents an oxygen atom, a sulfur atom, a selenium atom, a nitrogen atom, or a carbon atom; Y<sup>62</sup> represents an atomic group necessary to form a benzene ring or a 5- or 6-membered unsaturated heterocyclic ring, which may be condensed with other 5- or 6-membered carbocyclic or heterocyclic ring or may have a substituent, and two carbon atoms to which Y<sup>62</sup> is condensed may be bonded by a single bond or a double bond; R<sup>61</sup> and R<sup>62</sup> each represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; n<sup>61</sup> represents 0 or 1; M<sup>61</sup> represents a counter ion; and m<sup>61</sup> represents a number of 0 or higher necessary to neutralize the charge in the molecule.

Application No.: 09/931,309

Claim 7. (original): The silver halide photographic material as claimed in claim 6, wherein the methine dye represented by formula (XXXI) or (XXXII) is represented by the following formula (XXXIa) or (XXXIIa):

$$V^{85} = CH + V^{81} V^{82}$$

$$R^{81} R^{82} V^{83}$$

$$(M^{81}) m^{81}$$

$$(M^{81}) m^{81}$$

$$V^{85} = V^{81} + V^{82} + V^{82} + V^{83}$$

$$(XXXIIa)$$

$$(M^{81}) m^{81}$$

wherein  $V^{85}$  represents a halogen atom;  $X^{81}$  and  $X^{82}$  each represents an oxygen atom or a sulfur atom;  $R^{81}$  and  $R^{82}$  each represents an alkyl group substituted with an acid radical;  $V^{81}$ ,  $V^{82}$ ,  $V^{83}$  and  $V^{84}$  each represents a hydrogen atom or a substituent;  $M^{81}$  represents a counter ion; and  $m^{81}$  represents a number of 0 or higher necessary to neutralize the charge in the molecule.

Claim 8. (original): The silver halide photographic material as claimed in claim 7, wherein in the methine dye represented by formula (XXXIa) or (XXXIIa), at least either R<sup>81</sup> or R<sup>82</sup> represents an alkyl group substituted with a carboxyl group or an alkanesulfonylcarbamoyl group, and the other represents an alkyl group substituted with a sulfo group.

Claim 9. (original): The silver halide photographic material as claimed in claim 6, wherein the methine due represented by formula (XXXI) or (XXXII) is represented by the following formula (XXXIb) or (XXXIIb):

AMENDMENT UNDER 37 C.F.R. §1.312

Application No.: 09/931,309

$$V^{95} = CH - C : CH - V^{91} + V^{92}$$

$$(XXXIb)$$

$$V^{95} = CH - C : CH - V^{91} + V^{92}$$

$$(M^{91})_{m^{91}} = R^{92} + V^{93}$$

Attorney Docket No.: Q65828

$$V^{95} = \begin{array}{c} S = X^{91} & A^{91} & X^{92} & V^{92} \\ N & CH - C: CH & A & V^{92} & V^{93} \\ N & N & N^{91} & N^{92} & V^{93} \end{array}$$
(XXXIIb)

wherein  $V^{95}$  represents a halogen atom;  $X^{91}$  and  $X^{92}$  each represents an oxygen atom or a sulfur atom;  $R^{91}$  and  $R^{92}$  each represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group;  $A^{91}$  represents a methyl group, an ethyl group or a propyl group;  $V^{91}$ ,  $V^{92}$ ,  $V^{93}$  and  $V^{94}$  each represents a hydrogen atom or a substituent;  $M^{91}$  represents a counter ion; and  $m^{91}$  represents a number of 0 or higher necessary to neutralize the charge in the molecule.

Claim 10. (canceled).

Claim 11. (previously presented): A silver halide photographic material which comprises at least one sensitizing methine dye represented by the following formula (I):

$$\begin{array}{c}
X - (L^{1} = L^{2})_{p} = D \\
R - (M)_{m}
\end{array}$$

wherein Y represents a pyrrole ring, and Y may further be condensed with other 5- or 6membered carbocyclic ring or heterocyclic ring, or may have a substituent; the bond between

Application No.: 09/931,309

two carbon atoms in which Y is condensed may be a single bond or a double bond; Z represents an oxazole ring, a thiazole ring, an imidazole ring, a 2-pyridine ring or a 4-pyridine ring, and Z may further be condensed with other 5- or 6-membered carbocyclic ring or heterocyclic ring; R represents a substituted or unsubstituted alkyl group, aryl group, or heterocyclic group; D represents a group necessary to form a sensitizing methine dye; L<sup>1</sup> and L<sup>2</sup> each represents a methine group; p represents 0 or 1; M represents a counter ion; and m represents a number of 0 or higher necessary to neutralize the charge in the molecule.

Claim 12. (previously presented): The silver halide photographic material as claimed in claim 11, wherein Z represents an oxazole ring, a thiazole ring, an imidazole ring, a 2-pyridine ring or a 4-pyridine ring.

Claim 13. (previously presented): The silver halide photographic material as claimed in claim 11, wherein the methine dye represented by formula (I) is represented by the following formula (XX):

wherein Y<sup>51</sup> represents a pyrrole ring which may be condensed with other 5- or 6-membered carbocyclic or heterocyclic ring or may have a substituent, and two carbon atoms to which Y<sup>51</sup> is condensed may be bonded by a single bond or a double bond; X<sup>51</sup> and X<sup>52</sup> each represents an oxygen atom, a sulfur atom, or a nitrogen atom; Y<sup>52</sup> represents an atomic group necessary to form a benzene ring or a 5- or 6-membered unsaturated heterocyclic ring, which may further be

Application No.: 09/931,309

condensed with other 5- or 6-membered carbocyclic or heterocyclic ring or may have a substituent, and two carbon atoms to which Y<sup>52</sup> is condensed may be bonded by a single bond or a double bond; R<sup>51</sup> and R<sup>52</sup> each represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted aryl group, or a substituted or unsubstituted heterocyclic group; L<sup>51</sup>, L<sup>52</sup> and L<sup>53</sup> each represents a methine group; n<sup>51</sup> represents 0, 1, 2, 3 or 4; M<sup>51</sup> represents a counter ion; and m<sup>51</sup> represents a number of 0 or higher necessary to neutralize the charge in the molecule.